




2008 Annual Report of ATV-Related Deaths and Injuries



January 2010

Sarah Garland, Ph.D.
Directorate for Epidemiology
Division of Hazard Analysis
U.S. Consumer Product Safety Commission
4330 East West Highway
Bethesda, MD 20814

This analysis was prepared by CPSC staff. It has not been reviewed or approved by, and may not necessarily reflect the views of, the Commission.

CPSC Hotline: 1-800-638-CPSC (2772) ☆ CPSC's Web Site: <http://www.cpsc.gov>

~~CPSA 6(b)(1) CLEARED for PUBLIC~~

NO MFRS/PRVT LBLRS OR PRODUCTS IDENTIFIED

EXCEPTED BY: PETITION
RULEMAKING ADMIN. PRCDG

WITH PORTIONS REMOVED: _____

Table of Contents

INTRODUCTION.....	3
BACKGROUND.....	3
ATV-RELATED FATALITIES	3
Reported Deaths.....	3
Reported Deaths of Children Under 16 Years of Age	7
Three-Wheel vs. Four-Wheel ATVs.....	8
Estimated ATV-Related Deaths and Risk of Death, 1985 to 2007	8
ATV-RELATED INJURIES	10
DISCUSSION	14
1982 – 1998	14
1999 – 2005	15
2006 – 2008	15
APPENDIX A: Reported Deaths by Year and Age Group	16
APPENDIX B: Estimation Methodologies	17
ATV-Related Deaths	17
In-Scope ATV-Related Fatalities.....	17
ICD-9 versus ICD-10 Coding	17
Estimation of ATV-Related Fatalities (1999 – present)	17
Estimation of ATV-Related Fatalities (1985 – 1998).....	18
Estimation of Fatalities Associated with Four-Wheel ATVs.....	19
Risk of Death per 10,000 Four-Wheel ATVs in Use	19
Estimation of ATV-Related Injuries	20
Coefficients of Variation	20
Estimation of Hospital Emergency Department-Treated Injuries Associated with Four-Wheel ATVs.....	20
Risk of Injury per 10,000 Four-Wheel ATVs in Use	21
Changes in Injury Estimates and Risk of Injury per 10,000 Four-Wheel ATVs in Use.....	21
REFERENCES.....	22

List of Tables

Table 1: Reported ATV Fatalities by Year 1982 – 2008	4
Table 2: Reported ATV Fatalities by State 1982 – 2008	6
Table 3: Reported ATV Fatalities for Children Younger than 16 Years of Age 1982 – 2008	7
Table 4: Annual Estimated ATV-Related Fatalities and Risk of Death per 10,000 ATVs in Use.....	9
Table 5: Annual Estimates of ATV Emergency Department-Treated Injuries 1982 – 2008	10
Table 6: Estimated Number of Emergency Department-Treated Injuries and Risk of Emergency Department-Treated Injury per 10,000 ATVs in Use 1985 – 2008	13
Table 7: Reported ATV-Related Deaths by Year and Age Group 1982 – 2008	16

List of Figures

Figure 1: Annual ATV-Related Hospital Emergency Department-Treated Injury Estimates by Age Group 1994 – 2008.....	12
---	----

INTRODUCTION

This report presents the 2008 annual update of information collected by the U.S. Consumer Product Safety Commission (CPSC) staff on deaths and injuries related to the use of all-terrain vehicles (ATVs). The update includes information on ATV-related deaths based on data available to CPSC staff as of December 31, 2008, as well as information on ATV-related injuries treated in hospital emergency departments from January 1, 2008, through December 31, 2008.

The report begins with a brief background section. This is followed by a summary of ATV-related fatality counts derived from CPSC staff data and a discussion of reported ATV-related deaths involving children younger than 16 years of age. Then, based on the counts of ATV-related fatalities reported to CPSC staff, annual estimates of ATV-related deaths are presented, together with estimates of the annual risk of death per 10,000 four-wheel ATVs in use. Next, the report provides estimates of ATV-related, hospital emergency department-treated injuries, together with estimates of the annual risk of injury per 10,000 four-wheel ATVs in use. The report concludes with a short discussion of the observed patterns of ATV-related deaths and injuries over time.

BACKGROUND

CPSC staff considers an ATV to be an off-road, motorized vehicle having three or four low pressure tires, a straddle seat for the operator, and handlebars for steering control. Off-road motor vehicles having steering wheels and either bench or bucket seats (e.g., golf carts, dune buggies, recreational off-highway vehicles (ROVs), and certain types of utility vehicles) are not categorized as ATVs by CPSC staff. Consequently, fatalities and injuries associated with these types of vehicles are not addressed in this report.

CPSC staff first began analyzing ATV-related incident data in the early 1980s in order to provide information on the numbers of deaths and injuries associated with three-wheel ATVs. In the late 1980s, the major ATV distributors agreed to stop the distribution of three-wheel ATVs (U.S. CPSC, 2006). Consequently, although some older three-wheel ATVs continue to be used by consumers, nearly all ATVs in use today are four-wheel ATVs. In 2005 CPSC issued an Advance Notice of Proposed Rulemaking then a Notice of Proposed Rulemaking in 2006 for ATVs. Section 232 of the Consumer Product Safety Improvement Act of 2008 (CPSIA) included provisions which directed CPSC to make the voluntary standard a mandatory standard and complete its rulemaking process for ATVs. The mandatory standard was announced in late 2008 and became effective in April 2009. The CPSIA also imposed certain additional requirements on ATVs through ATV action plans, and it prohibited the importation and distribution of three-wheel ATVs.

ATV-RELATED FATALITIES

This section provides details on the numbers of ATV-related death reports received by CPSC staff on or before December 31, 2008, and also discusses the estimates associated with ATV-related deaths. The reported numbers of deaths are totaled in Table 1, listed by state in Table 2, and categorized by age group in Table 3. The estimated numbers of deaths associated with ATVs having three, four, or unknown number of wheels are reported in Table 4 with the estimated numbers of four-wheel ATV-related fatalities, the estimated number of four-wheel ATVs in use, and the estimated risk of death per 10,000 four-wheel ATVs in use. Discussions of the results presented in these tables are provided in this section, in the discussion section, and in the attached appendices.

Reported Deaths

By December 31, 2008, CPSC staff had received reports of 9,633 ATV-related deaths that occurred between 1982 and 2008 (Table 1). The number of fatality reports increased by 638 since the December 31, 2007 tabulation prepared by CPSC staff (U.S. CPSC, October 2008). Since the end of the previous reporting period, December 31, 2007, staff received 660 original reports of fatalities associated with ATVs and identified multiple reports for 11 incidents between 1999 and 2004. To avoid double counting of these incidents, the All-Terrain Vehicle Deaths database (ATVD) was adjusted. In the update of Table 1, the negative numbers reflect this change. Multiple reports of the same incident were also identified for 11 incidents between 2005 and 2007. In 2005, six multiple records were removed, while six new reports were received. Thus, Table 1 indicates no change (0) in 2005. In 2006, 85 new reports were received and three multiple reports were removed. In 2007, 159 new reports were received and two multiple reports were removed. The total fatality increases for 2006 and 2007 are 82 and 157, respectively. These updates are indicated in Table 1.

Table 1
Reported ATV-Related Fatalities (by Year)
ATVs with 3, 4 or Unknown Number of Wheels
Reported for the Period January 1, 1982 through December 31, 2008

Year ¹	Reported Number of Deaths	Difference Since Last Update* (12/31/2007)
Total	9,633	+638
<i>2008</i>	<i>410</i>	<i>+410</i>
<i>2007</i>	<i>699</i>	<i>+157</i>
<i>2006</i>	<i>832</i>	<i>+82</i>
2005	804	0
2004	753	-7
2003	653	-2
2002	548	0
2001	517	0
2000	450	-1
1999 ²	397	-1
1998	251	0
1997	241	0
1996	248	0
1995	200	0
1994	198	0
1993	183	0
1992	221	0
1991	230	0
1990	234	0
1989	230	0
1988	250	0
1987	264	0
1986	299	0
1985	251	0
1984	156	0
1983	85	0
1982	29	0

Source: U.S. Consumer Product Safety Commission: Directorate for Epidemiology/Division of Hazard Analysis.

Note: Italics denote the period for which reporting is ongoing.

*Several records have been removed. Records that were removed were multiple reports for the same incident, which is reflected by the negative numbers in the table above. Note: In 2005, six records were found to be multiple reports and were therefore deleted. Six new reports were also added, thus a zero change is listed above.

¹ Italics indicate that reporting is ongoing for the years 2006-2008.

² Beginning in 1999, death certificates were coded under the Tenth Revision of the International Classification of Diseases (ICD-10). See Appendix B for an explanation of the effect of this change.

Data collection for the years 2006 through 2008 is ongoing. As a result, the numbers of reported deaths for 2006 through 2008 are expected to increase before the next annual report is prepared.

In Table 1, the counts presented for 1999 and later (i.e., the values above the heavy line) reflect a revised mortality data classification system from the one used prior to 1999. Specifically, the heavy line marks the change from death certificate mortality coding under the Ninth Revision of the International Classification of Diseases (ICD-9) to coding under the Tenth Revision (ICD-10), a transition that allows CPSC staff to more accurately gather mortality data for a number of consumer products, including ATVs. This change was implemented by the National Center for Health Statistics (NCHS) in January 1999 (NCHS, 2007). Since the implementation of ICD-10 coding, all ATV-related fatalities, including incidents involving traffic accidents on public roads, are grouped under a single set of mortality codes. Because of the use of different coding systems between the two time periods (i.e., prior to 1999 versus 1999 and later), comparisons of numbers between these periods should be undertaken with caution. The ICD-10 transition and related methodological issues are discussed more fully in Appendix B.

Table 2 gives the numbers of reported ATV-related deaths for each state, the District of Columbia, and Puerto Rico. States are listed in descending order of the number of ATV-related fatalities reported for the years 1982 through 2005 (i.e., the years for which data collection is considered complete). Reported deaths that occurred during these years are tabulated in the second column. The following states had the highest numbers of ATV-related deaths occurring in this period: California (414 deaths), Pennsylvania (393), Texas (375), Kentucky (341), and West Virginia (339). Together, these five states accounted for 24% of all reported ATV-related deaths in the U.S. for the years 1982 through 2005 ($n = 7,692$), as shown in the third column of Table 2.

When reviewing state death counts for the period 1982 through 2005, two points deserve note:

- Consistent with CPSC staff's previous annual reports on ATV-related deaths and injuries, the counts shown in Table 2 have not been adjusted for demographic characteristics (e.g., total population, age structure of population, etc.).
- Also consistent with previous CPSC staff reports, these counts reflect the state in which the death occurred rather than the state where the ATV incident occurred. This approach allows the most accurate matching of death certificates to other types of incident reports received by CPSC staff. As medical transport capabilities (e.g., helicopter transport) and trauma care have advanced in recent years, some states with major trauma centers have ATV-related fatalities included in their reported counts for incidents that did not occur within their state boundaries. Similarly, some states have reported counts that do not fully account for all of the ATV-related fatality incidents that occurred within their state boundaries.

The fourth column of Table 2 presents, by state, the number of ATV-related deaths reported to CPSC staff as of December 31, 2008, for the period 2006 through 2008. These counts should not be used for between-state comparisons because data collection for this period is ongoing and because data collection from some states is more complete than from other states for these years.

Each state's total number of reported deaths since 1982 is listed in the fifth column. These counts include information for the years that have ongoing reporting as well as information for the years where data collection is considered complete.

Table 2
Reported ATV-Related Fatalities (by State)
ATVs with 3, 4 or Unknown Number of Wheels
Reported for the Period January 1, 1982 through December 31, 2008

State	Reported Deaths 1982 - 2005	Cumulative Percent of U.S. 1982 - 2005	Reported Deaths 2006 - 2008*	Total Reported Deaths*
CALIFORNIA	414	5%	102	516
PENNSYLVANIA	393	10%	75	468
TEXAS	375	15%	85	460
KENTUCKY	341	20%	111	452
WEST VIRGINIA	339	24%	134	473
FLORIDA	313	28%	106	419
TENNESSEE	302	32%	74	376
NEW YORK	293	36%	55	348
MICHIGAN	282	43%	47	329
NORTH CAROLINA	282	40%	62	344
GEORGIA	253	47%	44	297
MISSISSIPPI	233	50%	57	290
ARKANSAS	218	55%	34	252
OHIO	218	52%	80	298
MISSOURI	214	58%	68	282
WISCONSIN	208	61%	41	249
MINNESOTA	201	63%	47	248
ALABAMA	175	66%	39	214
LOUISIANA	171	68%	41	212
ILLINOIS	162	70%	50	212
ARIZONA	157	72%	66	223
INDIANA	146	74%	33	179
VIRGINIA	137	76%	50	187
UTAH	130	77%	25	155
OREGON	124	79%	40	164
ALASKA	120	81%	24	144
OKLAHOMA	114	82%	38	152
COLORADO	102	83%	15	117
IOWA	99	85%	18	117
MAINE	98	86%	20	118
IDAHO	96	87%	27	123
KANSAS	96	88%	20	116
WASHINGTON	88	90%	23	111
SOUTH CAROLINA	83	91%	33	116
NEW MEXICO	81	92%	7	88
NEBRASKA	70	93%	20	90
NEVADA	65	94%	14	79
NEW JERSEY	60	94%	9	69
MASSACHUSETTS	58	95%	8	66
MARYLAND	54	96%	16	70
NEW HAMPSHIRE	54	96%	1	55
MONTANA	51	97%	17	68
VERMONT	44	98%	14	58
SOUTH DAKOTA	43	98%	17	60
NORTH DAKOTA	42	99%	17	59
CONNECTICUT	32	99%	6	38
WYOMING	32	100%	4	36
HAWAII	11	100%	3	14
DELAWARE	7	100%	1	8
RHODE ISLAND	5	100%	2	7
WASHINGTON, D.C.	4	100%	1	5
PUERTO RICO	2	100%	0	2

Source: U.S. Consumer Product Safety Commission: Directorate for Epidemiology/Division of Hazard Analysis.

Note: State rankings are based on ATV-related fatality counts for the period 1982 – 2005.

*Italicized data (columns 4 and 5) denote the years for which reporting is ongoing (2006 – 2008).

Reported Deaths of Children Under 16 Years of Age

A review of the reported ATV-related fatalities indicated that 2,588 decedents (27% of the 9,633 total) were younger than 16 years of age, and 1,102 (11% of the total) were under 12 years of age. Table 3 gives the numbers and percentages of reported fatalities by year for individuals younger than 16 years of age. Appendix A contains a more detailed breakdown of the reported deaths in this age group.

Table 3
Reported ATV-Related Fatalities: Children Younger Than 16 Years of Age
ATVs with 3, 4 or Unknown Number of Wheels
Reported for the Period January 1, 1982 through December 31, 2008

Year ³	Younger Than 16	Younger Than 16: Percent of Total
Total	2,588	27%
<i>2008</i>	<i>74</i>	<i>18%</i>
<i>2007</i>	<i>124</i>	<i>18%</i>
<i>2006</i>	<i>143</i>	<i>17%</i>
2005	163	20%
2004	180	24%
2003	153	23%
2002	133	24%
2001	132	26%
2000	124	28%
1999 ⁴	90	23%
1998	82	33%
1997	79	33%
1996	87	35%
1995	64	32%
1994	54	27%
1993	59	32%
1992	71	32%
1991	68	30%
1990	81	35%
1982-1989	627	40%

Source: U.S. Consumer Product Safety Commission: Directorate for Epidemiology/Division of Hazard Analysis.

Note: Italics denote the period for which reporting is ongoing.

Note: Reported numbers and percentages have changed from previous reports. See the section on reported deaths and the note for Table 1 for more information.

³ Reporting is ongoing for 2006-2008. Percentages for these years should be interpreted with caution because the rate at which deaths are reported may not be consistent across all age groups.

⁴ Beginning in 1999, death certificates were coded under the Tenth Revision of the International Classification of Diseases (ICD-10). See Appendix B for an explanation of the effect of this change.

While the percentage of victims under age 16 appears to have declined since 1998, it is also probable that adult deaths were under-reported during the period 1982 to 1998. Because of coding limitations for ATV-related fatalities under the old ICD-9 system (see Appendix B), CPSC staff was generally not able to gather reports of deaths on public roads during those years. If adults were more likely than children to have been involved in ATV-related fatality incidents on public roads, then the calculated percentages of deaths involving children shown in Table 3 may be higher than the true proportions of ATV-related fatalities involving children for the years prior to 1999.

Three-Wheel vs. Four-Wheel ATVs

As noted in the background section, CPSC staff began tabulating reports of ATV-related deaths and injuries in the early 1980s in order to assess incidents associated with three-wheel ATVs. However, in the late-1980s, the major distributors agreed to stop the distribution of three-wheel ATVs, and, currently, the ATVs distributed in the U.S. are nearly all four-wheel models (U.S. CPSC, 2006). The percentage of reported fatalities involving four-wheel ATVs increased from 7 percent or less prior to 1985 to more than 95 percent in 2008, based on 2008 fatalities reported to CPSC staff as of December 31, 2008. Although data collection for 2008 is ongoing, it is not expected that this percentage will change greatly as additional reports of 2008 fatalities are received.

From the incident reports, it is not always possible to ascertain whether the ATV involved in the incident has three wheels or four wheels. In these cases, the vehicle is coded as an ATV having an unknown number of wheels. For the estimates of ATV-related deaths described below, ATVs having an unknown number of wheels were apportioned between three-wheel and four-wheel ATVs, using the methods described in Appendix B.

Estimated ATV-Related Deaths and Risk of Death, 1985 to 2007

Death reports received by CPSC staff represent a minimum count of ATV-related deaths because not all ATV-related fatalities may be reported. To account for unreported deaths, CPSC staff estimated annual ATV-related fatalities for the period 1985 to 2007 using a statistical estimation method (Hook and Regal, 2004). Table 4 shows both the annual reported counts and the estimated number of ATV-related deaths involving ATVs having three, four or an unknown number of wheels. Table 4 also presents the annual estimated risk of death per 10,000 four-wheel ATVs in use for this period. Due to the low data collection completion rate as of December 31, 2008, estimates for 2008 were not calculated for this report, but will be estimated in future reports.

The heavy line between 1998 and 1999 in Table 4 again demarcates the switch from mortality data collection under ICD-9 to collection under ICD-10. Because mortality coding under ICD-10 allows CPSC staff to gather more complete data on ATV-related deaths, some of the increase in estimated deaths observed between 1998 and 1999 is probably a result of the ICD-9/ICD-10 transition. Although the magnitude of the effect of the coding change is unknown, it follows that the death estimates and risks calculated for the years prior to 1999 may have been underestimates.

Column 5 of Table 4 gives annual estimates for the numbers of four-wheel ATVs in use. According to CPSC staff's *All Terrain Vehicle 2001 Injury and Exposure Studies*, in 2001, about 5.6 million three- and four-wheel ATVs were in use, and about 86 percent of these were four-wheel ATVs (Levenson, 2003a). Since that study, CPSC staff has relied on annual ATV sales information, together with survival analysis models, to derive estimates of the number of four-wheel ATVs in use during each year.

A discussion of the methodologies used to estimate ATV-related deaths and the risk of death per 10,000 four-wheel ATVs in use is given in Appendix B.

Table 4
Annual Estimates of ATV-Related Fatalities and Risk of Death per 10,000 4-Wheel ATVs in Use
1985 – 2007
Based on Fatality Data Available as of December 31, 2008

Year⁵	Reported Deaths	Estimated Deaths Associated with ATVs with 3, 4, or Unknown Wheels	Estimated Deaths Involving 4-Wheel ATVs	Estimated 4-Wheel ATVs in Use (millions)⁶	Estimated Risk of Death per 10,000 4-Wheel ATVs in Use
2007	699	816	788	9.5	0.8
2006	832	907	880	8.6	1.0
2005	804	932	892	7.8	1.1
2004	753	855	816	7.0	1.2
2003	653	762	725	6.3	1.2
2002	548	606	569	5.6	1.0
2001	517	593	549	4.9	1.1
2000	450	551	501	4.2	1.2
1999 ⁷	397	534	486	3.6	1.4
1998	251	287	245	3.1	0.8
1997	241	291	243	2.7	0.9
1996	248	267	208	2.4	0.9
1995	200	276	212	2.2	1.0
1994	198	244	168	2.0	0.8
1993	183	211	144	1.9	0.7
1992	221	241	158	1.9	0.8
1991	230	255	152	1.8	0.8
1990	234	250	151	1.8	0.9
1989	230	258	153	1.6	0.9
1988	250	286	152	1.4	1.1
1987	264	282	126	1.1	1.1
1986	299	347	95	0.7	1.3
1985	251	295	55	0.4	1.5

Source: U.S. Consumer Product Safety Commission: Directorate for Economic Analysis and Directorate for Epidemiology/Division of Hazard Analysis.

Note: Italics denote the period for which reporting is ongoing.

Note: The number of reported deaths has changed in several recent years (see note for Table 1). The estimated deaths are affected by this and thus show slightly different estimates than previously reported.

⁵ Reporting is ongoing for 2006-2007.

⁶ Estimates have been rounded.

⁷ Beginning in 1999, death certificates were coded under the Tenth Revision of the International Classification of Diseases (ICD-10). See Appendix B for an explanation of the effect of this change.

ATV-RELATED INJURIES

Table 5 shows estimates of ATV-related injuries treated in hospital emergency departments nationwide between January 1, 1982, and December 31, 2008. These estimates were generated from CPSC's National Electronic Injury Surveillance System (NEISS), a probability sample of U.S. hospitals with 24-hour emergency departments with more than six beds. In this analysis, the current estimates were compared to the estimates from the previous year (2007), as well as to a base year. The base year chosen for comparison was 2001.⁸ The existence of a possible trend in injuries associated with ATVs with three, four or an unknown number of wheels is also considered, using trend analysis methods developed by CPSC staff (Schroeder, 2000).

Table 5
Annual Estimates⁹ of ATV-Related, Emergency Department-Treated Injuries
ATVs with 3, 4 or Unknown Number of Wheels
January 1, 1982 through December 31, 2008

Year	Estimated Number of Injuries: All Ages	Estimated Number of Injuries: Ages Younger than 16 years	Percent of Total: Ages Younger than 16 Years
2008	135,100	37,700	28%
2007	150,900	40,000	27%
2006	146,600	39,300	27%
2005	136,700	40,400	30%
2004	136,100	44,700	33%
2003	125,500	38,600	31%
2002	113,900	37,100	33%
2001	110,100	34,300	31%
2000	92,200	32,000	35%
1999	82,000	27,700	34%
1998	67,800	25,100	37%
1997	52,800	20,600	39%
1996	53,600	20,200	38%
1995	52,200	19,300	37%
1994	50,800	21,400	42%
1993	49,800	17,900	36%
1992	58,200	22,000	38%
1991	58,100	22,500	39%
1990	59,500	22,400	38%
1989	70,300	25,700	37%
1988	74,600	28,500	38%
1987	93,600	38,600	41%
1986	106,000	47,600	45%
1985	105,700	42,700	40%
1984	77,900	¹⁰	---
1983	32,100	¹⁰	---
1982	10,100	¹⁰	---

Source: U.S. Consumer Product Safety Commission: National Electronic Injury Surveillance System.

Note: For the years 2001 through 2008, the coefficients of variation (CVs) for the all-ages injury estimates range from 9 percent to 11 percent. During this same time period, CVs for injury estimates among the under-16 age group range from 9 percent to 13 percent. See Appendix B for an explanation of the use and calculation of CVs.

⁸ See the methodology section in Appendix B for a discussion of the rationale for choosing 2001 as the base year.

⁹ Estimates have been adjusted to reflect NEISS Coding Manual changes and sampling frame updates. Estimates have also been adjusted to account for cases that are out of scope for this report. See Appendix B for additional discussion.

¹⁰ Adjusted estimates for children under 16 years old were not computed prior to 1985.

The 2008 emergency department-treated injury estimate for all ages reflects a decrease of 10 percent over the 2007 estimate. This decrease is statistically significant (p -value = 0.0031¹¹). The overall increase of 23 percent for the estimated number of injuries from 2001 to 2008 is statistically significant (p -value = 0.0001). In addition, trend analysis (Schroeder, 2000) indicates that, for ATVs having three, four or an unknown number of wheels, there is a statistically significant upward trend in emergency department-treated injuries for all ages collectively during the years 2001 through 2008 (p -value = 0.0071).

The 2008 emergency department-treated injury estimate for children younger than 16 years of age represents a 6 percent decrease, though not a statistically significant decrease, over the 2007 estimate (p -value = 0.2597). From 2001 to 2008, the estimated number of emergency department-treated injuries for children younger than 16 years of age increased 10 percent; however, these estimates are not statistically different (p -value = 0.2464), nor is a statistically significant trend for children younger than 16 years of age detected from 2001 to 2008 (p -value = 0.1311).

In 2008, 28 percent of the estimated number of ATV-related, emergency department-treated injuries involved children younger than 16 years of age. Considering the years 2001 to 2008, children younger than 16 years of age represent 30 percent of estimated emergency department-treated injuries (i.e., 312,100/1,054,900). For the years 1985 through 2008, children younger than 16 years of age represented approximately 34 percent of the total estimated number of injuries (i.e., 746,300/2,182,100).


Of the 135,100 estimated ATV-related emergency department-treated injuries in 2008 (37,700 for children younger than 16 years of age), a majority were categorized as treated and released (87 percent for all ages and 88 percent for children younger than 16 years of age). Eleven percent of the estimated emergency department-treated injuries for all ages were categorized as either treated and admitted or treated and transferred (10 percent for children younger than 16 years of age). The remaining percentages of treatments were spread across several categories such as left without being seen, held for observation, fatalities, and unknown.

The majority of the 2008 estimated ATV-related emergency department-treated injuries for all ages were diagnosed as contusions/abrasions or fractures (27 percent and 25 percent, respectively). The corresponding percentages for children younger than 16 years of age in 2008 were 31 percent for contusions/abrasions and 27 percent for fractures. The remaining diagnoses were distributed into categories such as lacerations, sprains/strains, internal organ injuries, and concussions, among others.

Figure 1 presents annual estimates by age group for ATV-related injuries treated in hospital emergency departments since 1994.

¹¹ This p -value represents the probability of observing results as extreme as or more extreme than the results obtained if there is no difference in the two reported estimates. A small p -value (e.g., p -value < 0.05) suggests an observed difference is likely to reflect a difference between the two estimates that is associated with some factor or factors beyond the inherent variability in the estimates themselves. P -values listed in this report have not been corrected for multiple comparisons.

Figure 1
Annual ATV-Related Hospital Emergency Department-Treated Injury Estimates¹²
ATVs with 3, 4 or Unknown Number of Wheels
1994 – 2008



Source: U.S. Consumer Product Safety Commission: National Electronic Injury Surveillance System.
 Note: Columns may not add to annual totals due to rounding.

Review of the information in Figure 1 suggests the following:

- The only statistically significant decrease from 2007 in the estimated numbers of injuries among the different age groups is seen in the 16 to 24 age group (p-value = 0.0004).
- Between 2007 and 2008, the decreases in the estimated numbers of injuries for the under-16 age group, the 25 to 34 age group, the 45 to 54 age group, and the 55+ age group are not statistically significant (p-value = 0.2597, p-value = 0.8015, p-value = 0.0763, and p-value = 0.3789, respectively).
- In 2008, the estimated number of injuries increased from the preceding year among individuals in the 35 to 44 age group. This change is not statistically significant (p-value = 0.9235).

¹² Estimates have been adjusted to reflect NEISS Coding Manual changes and sampling frame updates. Estimates have also been adjusted by factors to account for cases that are out of scope for this report. See Appendix B for further detail.

Table 6 shows estimates of four-wheel ATV-related injuries and risk of injury per 10,000 four-wheel ATVs in use for the years 1985 to 2008. In 2008, four-wheel ATV injuries constituted 97 percent of the total injury estimate for ATVs having three, four or an unknown number of wheels (i.e., 131,700/135,100). The four-wheel ATV injury estimate for 2008 represents a 10 percent decrease over the 2007 estimate, a decrease that is statistically significant (p-value = 0.0073). Also, there is a statistically significant increase over the 2001 estimate (p-value < 0.0001). A statistically significant upward trend in emergency department-treated injuries associated with four-wheel ATVs occurred between 2001 and 2008 (p-value = 0.0018).

In Table 6, risk is defined as the estimated number of emergency department-treated injuries per 10,000 four-wheel ATVs in use. From 2001 to 2008, there is a statistically significant downward trend in injury risk per 10,000 four-wheel ATVs in use (p-value = 0.0005).

Table 6
Estimated Number of 4-Wheel ATV-Related Emergency Department-Treated Injuries and
Risk of Emergency Department-Treated Injury per 10,000 4-Wheel ATVs in Use
January 1, 1985 through December 31, 2008

Year	4-Wheel ATV-Related Injury Estimate ^{13, 14}	Estimated 4-Wheel ATVs in Use (millions)	Risk Estimate per 10,000 4-Wheel ATVs in Use
2008	131,700	10.2	129.7
2007	146,500	9.5	153.9
2006	140,900	8.6	163.0
2005	130,000	7.8	167.2
2004	129,500	7.0	185.4
2003	116,600	6.3	186.3
2002	104,800	5.6	188.5
2001	98,200	4.9	200.3
2000	82,300	4.2	197.2
1999	68,900	3.6	193.0
1998	57,100	3.1	184.7
1997	39,700	2.7	146.1
1996	40,700	2.4	168.1
1995	36,200	2.2	165.7
1994	33,300	2.0	165.4
1993	32,000	1.9	164.9
1992	33,000	1.9	175.1
1991	34,400	1.8	188.1
1990	30,800	1.8	175.1
1989	35,700	1.6	217.8
1988	39,400	1.4	276.1
1987	33,900	1.1	305.9
1986	23,400	0.7	319.2
1985	14,700	0.4	391.1

Sources: U.S. Consumer Product Safety Commission: National Electronic Injury Surveillance System; the Directorate for Economic Analysis; and the Directorate for Epidemiology/Division of Hazard Analysis.

Note: For the years 2001 through 2008, the coefficients of variation (CVs) for four-wheel ATV injury estimates (column 2) are all on the order of 9 percent. For these same years, the CVs for the estimates of the number of 4-wheel ATVs in use (column 3) range from 3 percent to 4 percent, and the CVs for the risk estimates (column 4) range from 9 percent to 10 percent (see Levenson, 2005a, 2005b, and 2005c for discussion of the methods used to estimate these CVs).

¹³ Estimates have been adjusted to reflect NEISS Coding Manual changes and sampling frame updates. Estimates have also been adjusted by factors to account for cases that are out of scope for this report. Appendix B provides further detail.

¹⁴ Estimates have been rounded.

DISCUSSION

In analyzing deaths and injuries associated with ATVs, it is useful to consider three distinct time periods, the boundaries of which are determined primarily by fatality data availability and by the completeness of the available data. By considering these three periods separately, we can compare years within periods, and thereby control, at least in part, for changes in fatality data availability, as well as for possible changes in the ATV marketplace. While the boundaries of the periods considered here are defined by factors involving the collection of mortality data, it is also useful to consider the injury estimates within the same time periods.

The periods selected for discussion were defined as follows:

- The first period, from 1982 to 1998, begins with the first year of CPSC staff's reported ATV-related death counts (see Table 1) and ends with the ICD-9/ICD-10 transition for classification of mortality data.
- The second period, from 1999 to 2005, begins with the transition to ICD-10 coding and ends with the most recent complete year of death data collection.
- The third period, from 2006 to 2008, spans the period of ongoing mortality data collection by CPSC staff.

ATV-related deaths and injuries occurring in each of these three time periods are reviewed below.

1982 – 1998

In the first period (1982 – 1998), reported deaths reached a high of 299 in 1986 (Table 1). These reported deaths were largely associated with three-wheel ATVs, which were still being manufactured and sold. During the mid-1980s, three-wheel ATVs were still heavily in use, and four-wheel ATVs were only beginning to gain in popularity.

As previously noted, CPSC staff's ability to gather death reports during the first period (1982 – 1998) was limited by the ICD-9 reporting codes and by ICD-9 reporting requirements which made it difficult for CPSC staff to obtain death certificates for ATV-related fatality incidents occurring on public roads (see Appendix B). Consequently, the death estimates for this period are likely to be underestimates. However, because data collection methodologies were substantially consistent throughout the first period, general comparisons among the annual death estimates within the first period may still be made, provided that the degree of underestimation is similar from year to year. Other than the ICD-9 coding, CPSC staff is not aware of any factors that would have contributed to an underestimation of ATV-related fatalities in this period. CPSC staff is also not aware of any factors that would have caused differences in ICD-9-related underestimation in different years.

With these cautions in mind, a review of Table 4 suggests that, during the first period, the estimated number of deaths associated with all ATVs (i.e., ATVs having three, four or an unknown number of wheels) likely peaked around 1986. This peak was followed by a decline in estimated ATV-related fatalities until the early- to mid-1990s (Table 4). Then, a general increase in the estimated deaths appears to have occurred from the mid-1990s to the end of the period (Table 4). Note that these generalizations do not depend upon the magnitude of the estimates. The reader is cautioned against making similar generalizations over this same time period regarding the estimated number of four-wheel ATVs in use and the estimated risk of death per 10,000 four-wheel ATVs in use because these latter measures may be subject to sources of variability other than those associated with the death estimates.

A similar pattern can be observed in the estimated number of emergency department-treated injuries associated with ATVs having three, four or an unknown number of wheels. That is, the estimated number of ATV-related, emergency department-treated injuries appeared to peak during the years 1985 and 1986 (Table 5), when injuries rose above 100,000. This was followed by a decline in injury estimates until the early- to mid-1990s, and then by an increase in injury estimates until the end of the period. The similarities between death and injury data suggest that the pattern seen in the estimated number of deaths is not simply an artifact of the fatality data.

1999 – 2005

As a result of the transition to ICD-10 mortality coding, the second period (1999 – 2005) reflects several years during which CPSC staff had a greater opportunity to collect comprehensive data on ATV-related fatalities than had been possible prior to 1999. ATV-related regulatory activity began just as this reporting period was ending. Consequently, any effect of heightened media exposure on data collection would be less of a factor in the second period (as compared to the third period). However, this effect could have been changing in 2005 due to the exposure resulting from the issuance of an Advanced Notice of Proposed Rulemaking in 2005 by the CPSC. Estimated deaths associated with ATVs having three, four or an unknown number of wheels increased 75 percent during the second period (Table 4). The estimated numbers of emergency department-treated injuries associated with ATVs having three, four or an unknown number of wheels increased 67 percent during this same period (Table 5).

2006 – 2008

The third period (2006 – 2008) contains three years of incomplete death data. As of December 31, 2008, death certificate completion was 95% for 2006, 58% for 2007, and 17% for 2008. (This is not a percentage of death certificates vs. actual deaths, but rather an indication of months in which death certificates were received from each state.) It is likely that the number of reported deaths for these years will increase as CPSC staff receives additional reports. For this reason, the estimated numbers of deaths and the estimated risks of death per 10,000 four-wheel ATVs in use will likely require revision for these years in future CPSC staff reports.

During the third period, emergency department-treated injury estimates for all ages increased from 2006 to 2007, but decreased from 2007 to 2008, both for ATVs having three, four or an unknown number of wheels (Table 5) and for four-wheel ATVs (Table 6). For ATVs having three, four or an unknown number of wheels, the overall decrease from 2006 to 2008 is statistically significant (p-value = 0.0430). However, there is no statistical difference in the estimated numbers of injuries associated with 4-wheel ATVs between 2006 and 2008 (140,900 and 131,700 respectively; p-value = 0.1169). It should be noted that the data collection process supporting the derivation of the injury estimates is complete for this period (2006 – 2008); and, thus, the injury estimates for 2006 through 2008 are not expected to require revision in future CPSC staff reports.

Just prior to, as well as during this period, CPSC issued both an Advance Notice of Proposed Rulemaking (2005) and a Notice of Proposed Rulemaking (2006) for ATVs. In 2008, the Consumer Product Safety Improvement Act of 2008 (CPSIA) became law. Section 232 of the CPSIA included provisions which directed CPSC to make the voluntary standard a mandatory standard and complete its rulemaking process for ATVs. The mandatory standard was announced in October 2008 and became effective in April 2009. In addition, importation and distribution of 3-wheel ATVs was prohibited. One likely result of the recent regulatory focus on ATVs may have been an increase in media attention to ATV-related fatalities; and this, in turn, may have resulted in the collection of more complete and timelier death reports during the third period.

Also during this time period, the CPSC launched a campaign to increase awareness of ATV safety via television and radio public service announcements, the creation of www.ATVSafety.gov, and partnering with organizations and officials dedicated to promoting ATV safety. In 2006, the CPSC's website www.ATVSafety.gov was launched and includes information on ATV safety, state laws and regulations for ATVs, and fatality and injury data. The CPSC's Office of Information and Public Affairs (OIPA) initiated a Rapid Response program in April 2007 to respond to ATV-related deaths and injuries. The Rapid Response program is implemented when there is a report of an ATV death or injury. Working with media in the affected area, OIPA publishes information on ATV safety by means of radio and television public safety announcements or by news stories. By raising awareness of ATV safety, this campaign was designed to reduce the number of deaths and serious injuries associated with ATVs (U.S. CPSC OIPA, 2006).

Appendix A

Table 7
Reported ATV-Related Deaths by Year and Age Group
ATVs with 3, 4 or Unknown Number of Wheels
January 1, 1982 through December 31, 2008

Year ^{15, 16}	Younger Than 12 Years Old	Younger Than 12 Years Old: Percent of Total	Younger Than 16 Years Old	Younger Than 16 Years Old: Percent of Total
Total	1,102	11%	2,588	27%
<i>2008</i>	<i>36</i>	<i>9%</i>	<i>74</i>	<i>18%</i>
<i>2007</i>	<i>53</i>	<i>8%</i>	<i>124</i>	<i>18%</i>
<i>2006</i>	<i>63</i>	<i>8%</i>	<i>143</i>	<i>17%</i>
2005	78	10%	163	20%
2004	69	9%	180	24%
2003	69	11%	153	23%
2002	45	8%	133	24%
2001	58	11%	132	26%
2000	50	11%	124	28%
1999 ¹⁷	34	9%	90	23%
1998	30	12%	82	33%
1997	38	16%	79	33%
1996	40	16%	87	35%
1995	26	13%	64	32%
1994	20	10%	54	27%
1993	18	10%	59	32%
1992	32	14%	71	32%
1991	40	17%	68	30%
1990	27	12%	81	35%
1982-1989	276	18%	627	40%

Source: U.S. Consumer Product Safety Commission, Directorate for Epidemiology, Division of Hazard Analysis.
 Note: Italics denote the period for which reporting is incomplete.

¹⁵ Reporting is ongoing for 2006 – 2008.

¹⁶ Percentages for years with ongoing reporting should be interpreted with caution because the rate at which deaths are reported may not be consistent across all age groups.

¹⁷ Beginning in 1999, deaths were coded under the Tenth Revision of the International Classification of Diseases (ICD-10). The effect of this change is discussed in Appendix B.

Appendix B

Estimation Methodologies

This appendix describes the methodologies used to estimate ATV-related deaths and injuries and other information used in developing the report analyses.

ATV-Related Deaths

In-Scope ATV-Related Fatalities

ATV-related fatalities considered in scope in this report include any unintentional incident involving an ATV, whether or not the ATV was in operation at the time of the incident. Because of the difficulties inherent in distinguishing between occupational and non-occupational use, occupational fatalities are included in both the death counts and the death estimates. For example, it may be difficult to classify a fatality that occurs when a victim is riding alongside a fence on a ranch for the purpose of checking the fence, and then is subsequently involved in an ATV-related fatality incident while deviating from his work routine to take a recreational ride up a nearby hill.

ICD-9 Versus ICD-10 Coding

In 1999, CPSC staff began collecting death certificates for all fatalities where an external cause of death listed on the death certificate was reported to involve an ATV, as coded under the Tenth Revision of the International Classification of Diseases (ICD-10). ICD-10 marks the first revision where all ATV-related fatalities are grouped under a single code (V86.X), thus facilitating more complete collection of these incidents by CPSC staff than could be accomplished prior to 1999.

It should be noted that the ICD-10 codes (V86.X) characterizing the external cause of death as “ATV-related” include fatalities resulting from all specialty motor vehicles intended primarily for off-road use (World Health Organization, 2007). Thus, other types of off-road vehicles, including dune buggies and dirt bikes, are captured in this set of codes. Through the conduct of in-depth investigations (IDIs), CPSC staff attempts to verify that the vehicles involved in these incidents were ATVs, as defined by CPSC staff (i.e., an ATV is a motorized vehicle intended for off-road use and having three or four low pressure tires, a straddle seat for the operator, and handlebars for steering control). In cases where the specific type of off-road vehicle cannot be ascertained, CPSC staff counts the death report as an ATV-related fatality. This assumption may result in an overestimation of ATV-related deaths.

Estimation of ATV-Related Fatalities (1999 – Present)

CPSC staff estimates the number of deaths associated with ATVs by use of a capture-recapture approach. This approach involves examining the numbers of reports of ATV-related fatalities gathered via two different avenues:

- The first avenue is the collection of death certificates obtained by CPSC staff¹⁸, where the death is deemed to be ATV-related by the medical examiner. These incidents are entered into CPSC staff’s death certificate database (DTHS).

¹⁸ CPSC staff purchases death certificates from the 50 states, the District of Columbia, and New York City for fatalities involving selected consumer products, including ATVs. Determination of the association between a fatality and a consumer product is based on the external cause of death code(s) reported on the death certificate. Since 1999, the external causes of death reported on U.S. death certificates have been coded in accordance with ICD-10 (National Center for Health Statistics, 2007).

- The second avenue involves the collection of reports of fatal, ATV-related incidents by any other means available to CPSC staff (denoted as non-DTHS). Sources for these types of reports include: news clips; reports from the Medical Examiners and Coroners Alert Project (MECAP); reports from consumers or their representatives via telephone or Internet; and hospital reports from the National Electronic Injury Surveillance System (NEISS). With regard to NEISS reports, it should be noted that the NEISS database primarily includes product-related injuries rather than fatalities. However, all ATV-related NEISS cases are reviewed to identify incidents where an emergency department-treated, ATV-related injury was reported to result in death, and these deaths are included in the ATV-related fatality reports available to CPSC staff.

In many cases, CPSC staff receives fatality reports from multiple sources for the same incident either of deaths counted in a previous annual report or of deaths reported for the first time in this annual report. For example, CPSC staff may receive a MECAP report for a fatality that was previously reported to CPSC staff via a news clip. Reports from non-DTHS sources are carefully reviewed to match multiple source reports about the same incident for both the current reporting year and for previous years. Incidents that have been reported in multiple sources are only counted once in Table 1.

The calculation of the capture-recapture estimate entails the matching of fatality reports from DTHS and non-DTHS sources. Then, for each year of interest, CPSC staff determines the total number of fatalities included in DTHS, the total number of fatalities included in non-DTHS sources, and the total number of deaths included in both sources (i.e., DTHS and non-DTHS). The estimate is then calculated using the following equation (Hook and Regal, 1992; Morrison and Stone, 2000; Hook and Regal, 2004):

$$estimate = \frac{(M + 1)(N + 1)}{n + 1} - 1 \quad \text{Equation 1}$$

where

M is the number of incidents captured by purchase of death certificates from the states (DTHS),

N is the number of incidents collected by other means (non-DTHS),

and

n is the number of incidents captured by both death certificate purchase and at least one other source.

Estimates of fatalities that occurred on or after January 1, 1999, and that are associated with ATVs having three, four or an unknown number of wheels are calculated using equation 1.

Estimation of ATV-Related Fatalities (1985 – 1998)

Prior to 1999, CPSC staff received death certificates for only two types of ATV-related fatality incidents:

(1) ATV-related fatalities occurring in places other than public roads, and (2) ATV-related fatalities occurring in public road locations that were erroneously reported as non-public-road locations. Because of this, the capture-recapture procedure for estimating pre-1999 ATV-related deaths had two parts:

- For public road fatalities, the estimates were based solely on the number of fatalities reported to CPSC staff. Reports of these fatalities were largely contained in CPSC staff’s Injury or Potential Injury Incident file (IPII). As noted, death certificates were generally not received for these fatalities.
- For incidents occurring in other places, the capture-recapture approach was applied.

Using equation 2 (below), these two parts (i.e., incidents occurring on public roads and incidents occurring in other places) were then combined to derive the pre-1999 annual estimates of ATV-related deaths for ATVs having three, four or an unknown number of wheels.

$$estimate = \frac{(M_{NP} + 1)(N_{NP} + 1)}{n_{NP} + 1} - 1 + C_p \quad \text{Equation 2}$$

where

M_{NP} is the number of reports of non-public-road fatalities captured by purchase of death certificates from the states,

N_{NP} is the number of reports of non-public-road fatalities collected by other means,

n_{NP} is the number of reports of non-public-road fatalities captured by both death certificate purchase and at least one other source,

and

C_p is the count of reports of ATV-related fatalities occurring on public roads from any source.

CPSC staff believes the ATV-related fatality estimates for the years prior to 1999 were likely to be underestimates because the pre-1999 estimates used only the available counts of public road fatalities and did not account for missing reports in these types of incidents. As noted previously, CPSC staff now receives death certificates for ATV-related incidents occurring on public roads. Consequently, since 1999, the capture-recapture approach has been fully applied to both components (i.e., those incidents occurring on public roads and those incidents occurring in other locations) of the annual estimates of ATV-related deaths. For this reason, CPSC staff expects that the annual death estimates for 1999 and later represent better estimates of ATV-related fatalities than were possible in the years before 1999.

Estimation of Fatalities Associated with Four-Wheel ATVs

A number of incidents reported to CPSC staff involve ATVs for which the number of wheels is unknown. Because some of these likely involve four-wheel ATVs, the unknowns are apportioned in the calculation of the estimated number of deaths associated with four-wheel ATVs. This estimate is calculated by first dividing the reported number of deaths for four-wheel ATVs by the combined reported number of deaths for three- and four-wheel ATVs, and then multiplying this quotient by the estimated number of deaths for all ATVs (three, four or unknown number of wheels). Thus, the estimate of deaths associated with four-wheel ATVs is given by equation 3.

$$Estimate_{4W} = \frac{rep_{4W}}{rep_{3W+4W}} Est_{3W+4W+UW} \quad \text{Equation 3}$$

where

$Estimate_{4W}$ is the estimated number of fatalities associated with four-wheel ATVs,

rep_{4W} is the reported number of fatalities associated with four-wheel ATVs,

rep_{3W+4W} is the reported number of fatalities associated with three- and four-wheel ATVs,

and

$Est_{3W+4W+UW}$ is the estimated number of fatalities associated with ATVs having three, four or an unknown number of wheels. [Note: this is the “estimate” derived in equations 1 and 2].

Risk of Death per 10,000 Four-Wheel ATVs in Use

The risk of death associated with four-wheel ATVs in use is calculated by dividing the annual estimate of fatalities associated with four-wheel ATVs ($Estimate_{4W}$) by the estimated number of four-wheel ATVs in use in a given year. Annual estimates of the numbers of four-wheel ATVs in use are determined from four-wheel ATV sales and operability rates based on CPSC staff studies (Levenson, 2003a; Levenson, 2003b) and on information compiled by CPSC’s Directorate for Economic Analysis. Annual four-wheel ATVs-in-use estimates for 1994 and prior years are computed from a survival model derived from 1994 data. Annual four-wheel ATVs-in-use estimates for years 2001 and after are computed from a survival model derived from 2001 data.

Estimates of the annual numbers of in-use four-wheel ATVs for the intervening years come from a model that provides a smooth transition between the 1994 and the 2001 survival models. The estimated numbers of four-wheel ATVs in use in Tables 4 and 6 are rounded figures. As a result, risk estimates calculated using these rounded figures may not match the estimates presented in the tables.

Because reliable operability rate data are not available for three-wheel ATVs, this report presents only the risk of death per 10,000 four-wheel ATVs in use.

Estimation of ATV-Related Injuries

All injury estimates in this report have been derived from data collected through CPSC's National Electronic Injury Surveillance System, a probability sample of U.S. hospitals with 24-hour emergency departments with more than six beds (Schroeder and Ault, 2001a and 2001b). Thus, ATV-related injury estimates in this report represent hospital emergency department-treated injuries only. ATV-related injuries that were not treated in hospital emergency departments are not included in these estimates.

Injury estimates have been adjusted to reflect revisions in the NEISS Coding Manual in 1985, as well as to account for NEISS sampling frame updates (Marker, et al, 1988; Marker and Lo, 1996). Estimates for 1982 through 1985 were also adjusted based on a review of NEISS comments to exclude dune buggies and to include ATVs that had been misclassified as mini or trail bikes.

Injury estimates for 1985, 1989, 1997 and 2001 are based on injury surveys using NEISS cases. Injury estimates for other years have been adjusted by factors to account for out-of-scope (non-ATV) cases based on injury studies in those years (Levenson, 2003c; Rodgers and Zamula, 1986; Rodgers, 1990; U.S. CPSC, 1998). An in-scope injury case is defined to be any non-occupational, unintentional case involving an ATV, whether or not the victim was operating the ATV at the time of the incident. Note that NEISS does not collect occupational injuries; and, thus, the definition of in-scope, ATV-related injuries differs slightly from the definition of in-scope, ATV-related fatalities. The applied adjustment factors were as follows: 0.93 for 1986 through 1988; 0.95 for 1990 through 1996; 0.903 for 1998 through 2000 (amended from 0.935); and 0.922 for 2001 and after.

Coefficients of Variation

A coefficient of variation (or CV) is an expression of the standard deviation relative to the estimate itself. In this report, CVs for injury estimates are given as percents. The adjustment factors discussed above are also estimated and have associated variability. This variability (along with the variability of the injury estimates) affects significance tests and tests for trends. Calculation of NEISS estimates and their variances is discussed in Schroeder and Ault (2001a) and Schroeder and Ault (2001b). Adjustment factors and other concepts specific to variability associated with ATV estimates are more fully discussed in Levenson (2003c, 2005b, 2005c).

Estimation of Hospital Emergency Department-Treated Injuries Associated with Four-Wheel ATVs

NEISS includes injuries that are associated with ATVs for which the number of wheels is unknown. Because of this, the estimated injuries associated with ATVs having an unknown number of wheels are apportioned in the calculation of the estimated injuries associated with four-wheel ATVs, using equation 4. This point estimator is mathematically equivalent to the previously reported estimator (U.S. CPSC, October 2008).

$$Total\ Estimate_{4W} = \frac{Est_{4W}}{Est_{3W} + Est_{4W}} (Est_{3W} + Est_{4W} + Est_{UW}) \quad Equation\ 4$$

where

$Total\ Estimate_{4W}$ is the total estimated injuries associated with four-wheel ATVs with unknowns apportioned,

Est_{4W} is the injury estimate associated with four-wheel ATVs (excluding unknowns),

Est_{3W} is the injury estimate associated with three-wheel ATVs (excluding unknowns),

and

Est_{UW} is the injury estimate associated with ATVs with an unknown number of wheels.

Risk of Injury per 10,000 Four-Wheel ATVs in Use

The risk of injury per 10,000 four-wheel ATVs in use is calculated as the total estimated number of hospital emergency department-treated injuries associated with four-wheel ATVs (*Total Estimate_{4w}*) divided by the number of four-wheel ATVs in use and then multiplied by 10,000. Annual ATV population estimates were the same as those used in the calculation of risk of death and are discussed on page 19 in this appendix. Trend analysis of the risk of injury follows the methodology discussed in section 4 of Levenson 2005b.

Changes in Injury Estimates and Risk of Injury per 10,000 Four-Wheel ATVs in Use

Consistent with the 2005 ATV Annual Report (U.S. CPSC, 2007), the 2006 ATV Annual Report (U.S. CPSC, 2008), and the 2007 ATV Annual Report (U.S. CPSC, 2008), relative changes in the annual injury estimates shown in Table 5 and Table 6 are assessed using 2001 as the base year (see pages 10 – 13). Certain features of the current market, including the increase in new-entrant import model ATVs, may make comparisons across recent time spans (e.g., 2001 – 2008) more meaningful than comparisons using older data.

References

- Hook, E.B. and Regal, R.R. The Value of Capture-Recapture Methods Even for Apparent Exhaustive Surveys. *American Journal of Epidemiology*. 1992; 135(9):1060-1067.
- Hook, E.B. and Regal, R.R. Completeness of Reporting: Capture-Recapture Methods in Public Health Surveillance. From: *Monitoring the Health of Populations: Statistical Principles and Methods for Public Health Surveillance*, Brookmeyer, R. and Stroup, D.F., eds. 2004. Oxford University Press, New York.
- Levenson, M. (2003a) *All-Terrain Vehicle 2001 Injury and Exposure Studies*. January 2003. U.S. Consumer Product Safety Commission.
- Levenson, M. (2003b) 2001 ATV Operability Rate Analysis, memorandum. May 6, 2003. U.S. Consumer Product Safety Commission.
- Levenson, M. (2003c) ATV Injury Adjustment Factors for 1997 and 2001, memorandum. September 12, 2003. U.S. Consumer Product Safety Commission.
- Levenson, M. (2005a) *Analysis of U.S. ATV Injury Risk Between 1997 and 2001*. August 2005. U. S. Consumer Product Safety Commission.
- Levenson, M. (2005b) Uncertainty Estimates of Annual ATV Risk Estimates, memorandum. August 22, 2005. U.S. Consumer Product Safety Commission.
- Levenson, M. (2005c) Uncertainty Estimates of ATV Adjusted Injury Estimates, memorandum. August 22, 2005. U.S. Consumer Product Safety Commission.
- Marker, D., Waksberg, J., and Braden, J. *NEISS Sample Update*. June 3, 1988. Westat, Inc.
- Marker, D. and Lo, A. *Update of the NEISS Sampling Frame and Sample*. October 11, 1996. Westat, Inc.
- Morrison, A. and Stone, D.H. Capture-Recapture: A Useful Methodological Tool for Counting Traffic-Related Injuries? *Injury Prevention*. 2000; 6:299-304.
- National Center for Health Statistics (NCHS). About the International Classification of Diseases/Clinical Modification (ICD-10-CM). August 2007. Retrieved from: <http://www.cdc.gov/nchs/icd.htm>.
- Rodgers, G.B. *Descriptive Results of the 1989 All-Terrain Vehicle Exposure Survey*. September 1990. U.S. Consumer Product Safety Commission.
- Rodgers, G. and Zamula, W. Results of the ATV Exposure Study, memorandum. September 12, 1986. U.S. Consumer Product Safety Commission.
- Schroeder, T. *Trend Analysis of NEISS Data*. February 2000. U.S. Consumer Product Safety Commission.
- Schroeder, T. and Ault, K. (2001a) *The NEISS Sample (Design and Implementation) From 1979 to 1996*. June 2001. U.S. Consumer Product Safety Commission.
- Schroeder, T. and Ault, K. (2001b) *The NEISS Sample (Design and Implementation) From 1997 to the Present*. June 2001. U.S. Consumer Product Safety Commission.
- U.S. Consumer Product Safety Commission. *All-Terrain Vehicle Exposure, Injury, Death and Risk Studies*. April 1998.
- U.S. Consumer Product Safety Commission. *Standards for All Terrain Vehicles and Ban of Three-Wheeled All Terrain Vehicles; Notice of Proposed Rulemaking*. Federal Register, Volume 71, Number 154, Pages 45904 – 45962. August 10, 2006.

U.S. Consumer Product Safety Commission. *2005 Annual Report of ATV Deaths and Injuries/Amended*. February 2007.

U.S. Consumer Product Safety Commission. *2006 Annual Report of ATV Deaths and Injuries*. February 2008.

U.S. Consumer Product Safety Commission. *2007 Annual Report of ATV Deaths and Injuries*. October 2008.

U.S. Consumer Product Safety Commission, Office of Information and Public Affairs (OIPA) (September 21, 2006). [*CPSC Launches Major Campaign to Drive Down Deaths and Serious Injuries Associated with All-terrain Vehicles*](#). Press Release. Retrieved September 16, 2009.

World Health Organization (WHO). *International Classification of Diseases*. 2007. Retrieved December 4, 2007 from: <http://www.who.int/classifications/icd/en/>.